View NSN Online: https://aerobasegroup.com/nsn/8040-00-877-9872 DOW CORNING CORPORATION -- ADHESIVE -- 8040-00-877-9872 ============= Product Identification ======================== Product ID:ADHESIVE MSDS Date:07/29/1997 FSC:8040 NIIN:00-877-9872 Status Code:A MSDS Number: CKZPN === Responsible Party === Company Name: DOW CORNING CORPORATION Address:3901 SOUTH SAGINAW ROAD Box:997 City:MIDLAND State:MI ZIP:48686-0997 Country:US Info Phone Num:517-496-6000/517-496-6315 **Emergency Phone** Num:517-496-5900 Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300 CAGE:5D028

=== Contractor Identification ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997 Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

====== Composition/Information on Ingredients ========

Ingred Name:METHYLTRIACETOXYSILANE CAS:4253-34-3 RTECS #:VV4500000 = Wt:2.

Ingred Name:SILICALITE CAS:7631-86-9

= Wt:11.

Ingred Name:ETHYLTRIACETOX

| = Wt:2. |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ====================================== |
| Health Hazards Acute and Chronic:EYE: DIRECT CONTACT IRRITATES MODERATELY WITH REDNESS AND SWELLING. SKIN: A SINGLE SHORT EXPOSURE (LESS THAN 24 HOURS) MAY IRRITATE. REPEATED PROLONGED CONTACT (24 TO 48 HOURS) MAY IRRITATE MODERATELY. INHALATION: VAPOR OVEREXPOSURE MAY IRRITATE EYES, NOSE AND THROAT. ORAL: SMALL AMOUNTS TRANSFERRED TO THE MOUTH BY FINGERS DURING USE, ETC; SH OULD NOT INJURE. SWALLOWING LARGE AMOUNTS MAY CAUSE DIGE STIVE DISCOMFORT. |
| ====================================== |
| First Aid:EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: REMOVE FROM SKIN AND WASH THOROUGHLY WITH SOAP AND WATER OR WATERLESS CLEANSER. GET MEDICAL ATTENTION IF IRRITATION OR OT HER ILL EFFECTS DEVELOP OR PERSIST. INHALATION: REMOVE TO FRESH AIR. ORAL: NO FIRST AID SHOULD BE NEEDED. |
| ======== Fire Fighting Measures ==================================== |
| Flash Point:(CLOSED CUP) Extinguishing Media:CARBON DIOXIDE (CO2). WATER SPRAY. DRY CHEMICAL. FOAM. WATER CAN BE USED TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING LARGE FIRES INVOLVING CHEMICALS. DETERMINE THE NEED TO EVACUATE OR ISOLATE THE AREA ACCORDING TO YOUR LOCAL EMERGE NCY PLAN. Unusual Fire/Explosion Hazard:NONE |
| === ======== Accidental Release Measures =========== |
| Spill Release Procedures:WIPE UP OR SCRAPE UP AND CONTAIN FOR SALVAGE OR DISPOSAL. |
| ====================================== |
| Handling and Storage Precautions: USE WITH ADEQUATE VENTILATION. PRODUCT EVOLVES ACETIC ACID (HOAC) WHEN EXPOSED TO WATER OR HUMID AIR. PROVIDE VENTILATION DURING USE TO CONTROL HOAC WITHIN EXPOSURE GUIDELINES (SEE SECTION 2) OR USE R ESPIRATORY PROTECTION. AVOID |

YSILANE

CAS:17689-77-9

| ====== Exposure Controls/Personal Protection ======== |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Respiratory Protection:ORGANIC VAPOR/DUST/MIST TYPE. Protective Gloves:NO SPECIAL PROTECTION NEEDED. Eye Protection:USE PROPER PROTECTION -SAFETY GLASSES AS A MINIMUM. Supplemental Safety and Health |
| ========= Physical/Chemical Properties ========== |
| Boiling Pt:B.P. Text:205-291F Vapor Density:>AIR Spec Gravity:1.4 Evaporation Rate & Description Rate & Desc |
| ======== Stability and Reactivity Data ========= |
| Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIAL CAN CAUSE A REACTION. WATER, MOISTURE, OR HUMID AIR CAN CAUSE HAZARDOUS VAPORS TO FORM AS DESCRIBED IN SECTION 2. |
| ========= Toxicological Information ========== |
| Toxicological Information:OPTIONAL SECTION -COMPLETE INFORMATION N OT YET AVAILABLE. |
| ========== Ecological Information ============ |
| Ecological:OPTIONAL SECTION -COMPLETE INFORMATION NOT YET AVAILABLE. |
| ======== Disposal Considerations ========== |
| Waste Disposal Methods:MAY APPLY TO RELEASES AND DISPOSAL OF THIS MATERIAL, AS WELL AS THOSE MATERIALS AND ITEMS EMPLOED IN THE CLEANUP OF RELEASES. |
| |
| ========= MSDS Transport Information ============= |

BREATHING VAPOR. KEEP CONTAINER CLOSED. AVOID EYE CONTACT.

9CFR 172.101) PROPER SHIPPING NAME: NOT APPLICABLE.

======== Regulatory Information ==============

Federal Regulatory Information: CONTENTS OF THIS MSDS COMPLY WITH THE OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200 TSCA STATUS: ALL CHEMICAL SUBSTANCES FOUND IN THIS PRODUCT COMPLY WITH THE TOXICSUBSTANCES CONTROL ACT INVENTORY REPORTING REQUIREMENTS.

State Regulatory Information: WARNING: THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS LISTED BY THE ST

ATE OF CALIFORNIA UNDER THE

SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65) AS BEING KNOWN TO CAUSE CANCE R. NONE KNOWN.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this do

cument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.