

KOH-I-NOOR RAPIDOGRAPH INC -- 291 KOH=I-LAR LIQUID ERASER -- 7510-01-027-9129

=====  
Product Identification  
=====

Product ID:291 KOH=I-LAR LIQUID ERASER  
MSDS Date:05/27/1994  
FSC:7510  
NIIN:01-027-9129  
Status Code:A  
MSDS Number: CLBDD  
=== Responsible Party ===  
Company Name:KOH-I-NOOR RAPIDOGRAPH INC  
Address:100 NORTH STREET  
City:BLOOMSBURY  
State:NJ  
ZIP:08804-9501  
Country:US  
Info Phone Num:908-479-412  
4  
Emergency Phone Num:0000000000  
CAGE:75364  
=== Contractor Identification ===  
Company Name:KOH-I-NOOR RAPIDOGRAPH INC  
Address:100 NORTH STREET  
Box:City:BLOOMSBURY  
State:NJ  
ZIP:08804-9501  
Country:US  
Phone:908-479-4124  
CAGE:75364

=====  
Composition/Information on Ingredients  
=====

Ingred Name:N-BUTYL ALCOHOL  
CAS:71-36-3  
RTECS #:EO1400000  
= Wt:5.  
OSHA PEL:100 PPM  
ACGIH STEL:C50 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:AMMONIUM HYDROXIDE  
CAS:1336-21-6  
RTECS #:BQ

9625000  
= Wt:2.  
ACGIH TLV:25 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
= Wt:93.

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL-RAT GREATER THAN 5G/KG  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:IRRITATION OF EYES, SKIN, RESPIRATORY  
TRACT, MUCOUS MEMBRANES FROM ACUTE EXPOSURE  
Effects of Overexposure:REDNESS OR EYES, NOSE AND SKIN.

=====  
===== First Aid Measures =====

First Aid:INGESTION: DRINK 1-2 GLASSES OF WATER TO DILUTE, CONSULT  
PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. SPLASHES SKIN OR  
EYES: FLUSH WITH COUPOUS AMOUNTS OF WATER. INHALATION: REMOVE TO  
FRESH AIR.

=====  
===== Fire Fighting Measures =====

Flash Point:=47.8C, 118.F  
118 F ASM D56  
Extinguishing Media:LIQUID WILL NOT BURN OR SUPPORT COMBUSTION

=====  
===== Accidental Release Measures =====

Spill Release Procedures:RINSE AWAY WITH WATER.

=====  
===== Handling and Storage =====

Other Precautions:KEEP FROM FREEZING

=====  
===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL  
Protective Gloves:NOT REQUIRED  
Eye Protection:PROTECTION SPLASHING INTO EYES  
Work Hygienic Practices:GOOD INDUSTRIAL HYGIENE  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Boili

ng Pt:=104.4C, 220.F

B.P. Text:220 F

Melt/Freeze Pt:=-1.5C, 29.F

M.P/F.P Text:29 F

Spec Gravity:.99

Evaporation Rate & Reference:LIKE WATER

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR COLORLESS LIQUID ODOR PRIMARILY FROM BUTANOL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:BURY, INCINERATE OR RUN INTO SEWE

R IN ACCORDANCE

WITH ALL LEGAL REGULATIONS.

===== Regulatory Information =====

SARA Title III Information:N-BUTYL ALCOHOL

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for

its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.