

DEXTER CORP HYSOL DIV -- FREKOTE 700 NC AEROSOL

=====
MSDS Safety Information
=====

FSC: 6850
NIIN: 01-424-5540
MSDS Date: 01/10/2000
MSDS Num: CLBGH
Product ID: FREKOTE 700 NC AEROSOL
MFN: 01
Responsible Party
Cage: 1JB33
Name: DEXTER CORP THE HYSOL DIV
Address: 1 DEXTER DRIVE
City: SEABROOK NH 03874

Info Phone Number: 603-474-5541
Emergency Phone Number: (800) 424-9300

=====
Item Description Information
=====

Item Manager: S9G
Item Name: PARTING COMPOUND
Unit of Issue: CN
Quantitative Expression: 10000000105OZ
UI Container Qty: 0

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NOT PROVIDED
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: CAN CAUSE EYE IRRITATION. PROLONGED OR REPEATED CONTACT
CAN CAUSE SKIN IRRITATION. CAN BE IRRITATING TO THE RESPIRATORY SYSTEM.
EXCESSIVE EXPOSURE CAN CAUSE DIZZINESS, NAUSEA, HEADACHES AND OTHER CENTRAL
NERVOUS SYSTEM EFFECTS. CAN CAUSE G

ASTROINTESTINAL IRRITATION, NAUSEA,
VOMITING OR DIARRHEA.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: CAN CAUSE EYE IRRITATION. PROLONGED OR
REPEATED CONTACT CAN CAUSE SKIN IRRITATION. CAN BE IRRITATING TO THE
RESPIRATORY SYSTEM. EXCESSIVE EXPOSURE CAN CAUSE DIZZINESS, NAUSEA HEADACHES
AND OTHER CENTRAL NERVOUS SYSTEM EFFECTS. CAN CAUSE GASTROINTESTINAL
IRRITATION, NAUSEA, VOMITING OR DIARRHEA.

Medical Cond Aggravated By Exposure: NOT PROVIDED

First Aid:

EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN.
SEEK MEDICAL ATTENTION. SKIN: FLUSH AFFECTED AREA WITH WATER IMMEDIATELY.
REMOVE CONTAMINATED CLOTHING, WASH SKIN THOROUGHLY WITH SOAP AND WATER.
INHALATION: REMOVE TO FRESH AIR. CALL PHYSICIAN. IF NOT BREATHING, GIVE
MOUTH-TO-MOUTH RESUSCITATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
INGESTION: DO NOT INDUCE VOMITING, CALL PHYSICIAN.

=====
Handling and Disposal
=====

=====
Spill Release Procedures: CLEAR AREA. PROVIDE ADEQUATE VENTILATION. COLLECT
WITH ABSORBENT AND PREVENT RUN-OFF. REMOVE ALL POTENTIAL IGNITION SOURCES.
USE APPROPRIATE PROTECTIVE EQUIPMENT.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: CANS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE.
DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL LAWS.

Handling And Storage Precautions: STORE AWAY FROM HEAT AND FLAME. USE WITH
ADEQUATE VENTI

LATION. STORAGE SHOULD BE IN COMPLIANCE WITH NFPA AND OSHA 29
CFR 1910.106 AND .107.

Other Precautions: AVOID CONTACT WITH SKIN AND BREATHING OF VAPORS. VOC
CONTENT-718 G/L OF MATERIAL. PHOTOREACTIVE- YES (A-99.1%)

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: FLAMMABLE

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

Extinguishing Media: POWDER OR FOAM RECOMMENDED.

Fire Figh

ting Procedures: SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.
Unusual Fire/Explosion Hazard: DO NOT APPLY TO SURFACES HEATED ABOVE 140C (285F). PRIOR TO PLACING MOLDS IN OVEN, ALLOW COMPLETE EVAPORATION OF ALL SOLVENTS.

=====
Control Measures
=====

Respiratory Protection: IF USE CONDITIONS GENERATE AIRBORNE CONTAMINATION, USE NIOSH RECOMMENDED RESPIRATORS APPROPRIATE FOR THE AIRBORNE LEVELS GENERATED.
Ventilation: AS REQUIRED TO CONTROL AIRBORNE CONTAMINATION.
Protective Gloves: SOLVENT RESISTANT
Eye Protection: CHEMICAL SPLASH GOGGLES
Other Protective Equipment: USE IMPERVIOUS CLOTHING IF NECESSARY TO AVOID SKIN CONTACT.
Work Hygienic Practices: NOT PROVIDED
Supplemental Safety and Health: PRODUCT CODE: FA0790. ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED.

=====
Physical/Chemical Properties
=====

HCC: V3
NRC/State LIC No: NOT RELEVANT
B.P. Text: COMPRESSED GAS
Vapor Pres: 1551-1809 (MMHG) @ 23C
Vapor Density: 3.85
Spec Gravity: 0.74 +/- 0.02
VOC Grams/Liter: 718
Viscosity: NOT PROVIDED
Evaporation Rate & Reference: 0.43 (N-BUTYL ACETATE=1)
Solubility in Water: INSOLUBLE
Appearance and Odor: COLORLESS, MILD ODOR
Percent Volatiles by Volume: 99.4
Corrosion Rate: NOT PROVIDED

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: NONE
Materials To Avoid: OXIDIZING MATERIALS CAN CAUSE A REACTION.
Hazardous Decomposition Products: CARBON MONOXIDE AND INCOMPLETE PRODUCTS.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NONE

=

=====
Toxicological Information
=====

Toxicological Information: NOT PROVIDED
=====

Ecological Information
=====

Ecological: NOT PROVIDED
=====

MSDS Transport Information
=====

Transport Information
: NOT PROVIDED
=====

Regulatory Information
=====

Sara Title III Information: NONE

Federal Regulatory Information: TSCA: ALL THE COMPONENTS CONTAINED IN THIS
PRODUCT COMPLY WITH APPLICABLE REQUIREMENTS PERTAINING TO THE US EPA TSCA
INVENTORY UNDER 40 CFR PART 710 AND 720.

State Regulatory Information: NOT PROVIDED
=====

Other Information
=====

Other Information: NONE
=====

Transportation Information
=====

Responsible Party Cage: 1JB33

Trans ID NO: 156463

Product ID: FREKOTE 700 NC AEROSOL

MSDS Prepared Date: 01/10/2000

Review Date: 04/02/2001

MFN: 1

Tech Entry NOS Shipping Nm: ALIPHATIC HYDROCARBONS

Net Unit Weight: 0.5 LB

Multiple KIT Number: 0

Unit Of Issue: CN

Container QTY: 0

Addi

tional Data: PER 1999 IATA REGULATIONS, PSN IS : "AEROSOLS, FLAMMABLE".
N.O.S. IS NO LONGER USED BY IATA.

=====
Detail DOT Information
=====

DOT PSN Code: AGC
DOT Proper Shipping Name: AEROSOLS, FLAMMABLE,
DOT PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
Hazard Class: 2.1
UN ID Num: UN1950
Label: FLAMMABLE GAS
Special Provision: N82
Non Bulk Pack: NONE
Bulk Pack: NONE
Max Qty Pass: 75 KG
Ma
x Qty Cargo: 150 KG
Vessel Stow Req: A
Water/Ship/Other Req: 40,48,85

=====
Detail IMO Information
=====

IMO PSN Code: AKD
IMO Proper Shipping Name: AEROSOLS o
IMDG Page Number: 2102
UN Number: 1950
UN Hazard Class: 2(T)
IMO Packaging Group: -
Subsidiary Risk Label: T
EMS Number: 2-13
MED First Aid Guide NUM: 620

=====
Detail IATA Information
=====
=====

IATA PSN Code: ALS
IATA UN ID Num: 1950
IATA Proper Shipping Name: AEROSOLS, FLAMMABLE
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
IATA UN Class: 2.1
IATA Label: FLAMMABLE GAS
Packing Note Passenger: 203
Max Quant Pass: 75KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 203

=====
Detail AFI Information
=====

AFI PSN Code: ALR
AFI Symbol

s: *
AFI Proper Shipping Name: AEROSOLS, FLAMMABLE, N.O.S.
AFI PSN Modifier: (EACH NOT EXCEEDING 1L CAPACITY)
AFI Hazard Class: 2.1
AFI UN ID NUM: UN1950
Special Provisions: P4
Back Pack Reference: A6.3

=====
HAZCOM Label
=====

Product ID: FREKOTE 700 NC AEROSOL
Cage: 1JB33
Company Name: DEXTER CORP THE HYSOL DIV
Street: 1 DEXTER DR
City: SEABROOK NH
Zipcode: 03874
Health Emergency Phone: (800) 4
24-9300
Label Required IND: Y
Date Of Label Review: 04/02/2001
Status Code: A
MFG Label NO: NOT PROVIDED
Label Date: 01/10/2000
Year Procured: 2001

Origination

Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: NO
Health Hazard: Moderate
Contact Hazard: Moderate
Fire Hazard: Severe
Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS: NOT PROVIDED. EXTREMELY FLAMMABLE.
IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. DO NOT BREATHE VAPOR/
SPRAY.

KEEP AWAY FROM SOURCES OF IGNITION. NO SMOKING. AVOID CONTACT WITH SKIN AND
EYES. KEEP IN A COOL PLACE. WEAR SUITABLE GLOVES AND EYE PROTECTION. USE ONLY
IN A WELL VENTILATED AREA. PRESSURIZED CONTAINERS. PROTECT FROM SUNLIGHT AND
DO NOT EXPOSE TO TEMPERATURES EXCEEDING 50 C. DO NOT PIERCE OR BURN, EVEN
AFTER USE. DO NOT SPRAY ON A NAKED FLAME. IN CASE OF SPILL, CALL CHEMTREC.
READ MATERIAL SAFETY DATA SHEET BEFORE USE. FOR INDUSTRIAL USE ONLY.

=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States o

f America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.