View NSN Online: https://aerobasegroup.com/nsn/8040-00-894-2269

FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY -- C-14A CYCLEWELD -8040-00-894-2269

Product ID:C-14A CYCLEWELD MSDS Date:11/05/1997 FSC:8040 NIIN:00-894-2269 Status Code:A **MSDS Number: CLFMM** === Responsible Party === Company Name: FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY Address:20701 NORDHOFF ST City:CHATSWORTH State:CA ZIP:91311 Countr v:US Info Phone Num:818-882-3022 Emergency Phone Num:1-888-853-1758 Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300 CAGE:26348 === Contractor Identification === Company Name: FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY Address:20701 NORDHOFF ST Box:City:CHATSWORTH State:CA ZIP:91311 Country:US Phone:818-882-3022 CAGE:26348

Ingred Name:EPOXY RESIN Minumum % Wt:70. Maxumum % Wt:100.

Ingred Name:POLYSU

LFIDE LIQUID POLYMER CAS:68611-50-7 Code:F Minumum % Wt:10. Maxumum % Wt:30.

LD50 LC50 Mixture:NONE Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:EYES: EYE CONTACT WITH LIQUID PRODUCT WILL CAUSE IRRITATION. SKIN: EPOXY RESINS ARE POTENTIAL SKIN SENSITIZERS. INHALATION: INHALATION IS NOT AN ANTICIPATED ROUTE OF EXPOSURE. INGESTION: HARMFUL IF S WALLOWED. Explanation of C arcinogenicity:NONE Medical Cond Aggravated by Exposure:

First Aid:IF IN EYE: FLUSH IMMEDIATELY WITH WATER FOR 15 MINUTES. CONSULT A PHYSICIAN. IF ON SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. IF INGESTED: IF PERSON CAN SWALLOW, GIVE ONE GLASS OF WATER OR MILK. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

========================= Fire Fighting Measures

Flash Point Method:CALC Flash Point:=204.4C, 400.F Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:USE WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE. Fire Fighting Procedures:PERSONS EXPOSED TO PRODUCTS OF COMBUSTION SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:NONE

Spill

Release Procedures:WEAR RUBBER GLOVES AND WIPE UP WITH ABSORBENT MATERIAL. ERSIDUE MAY BE REMOVED WITH A CHLORINATED SOLVENT. Neutralizing Agent:NONE

Handling and Storage Precautions: AVOID SKIN CONTACT WITH PRODUCT AT ALL TIMES. CONSULT THE TECHNICAL DATA SHEET FOR SPECIFIC STORAGE INSTRUCTIONS. Other Precautions: NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR IF CONDITIONS WARRANT. Ventilation:GENERAL DILUTION VENTILATION. Protective Gloves:PREVENT CONTACT BY USING RUBBER GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE Work Hygienic Practices:NONE Supplemental Safety and Health NONE

Boiling Pt:B.P. Text:NONE Melt/Freeze Pt:M.P/F.P Text:NONE Decomp Temp:Decomp Text:NONE Spec Gravity:1.16 VOC Grams/Liter:9.7

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:SULFUR COMPOUNDS. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:SOLIDIFY AND DISPOSE OF IN AN APPROVED LANDFILL. CONSULT STATE, LOCAL OR PROVINCIAL AUTHORITIES FOR MORE RESTRICTIVE REQUIREMENTS.

====== Regulat

SARA Title III Information:NONE
Federal Regulatory Information:TOXIC SUBSTANCES CONTROL ACT (TSCA)
SECTION 8 (B) - INVENTORY STATUS THIS PRODUCT IS IN COMPLIANCE
WITH THE TOXIC SUBSTANCES CONTROL ACT'S INVENTORY REQUIREMENTS.
State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements o f the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.