View NSN Online: https://aerobasegroup.com/nsn/8010-00-558-7026

CRON CHEMCIAL CORPORATION -- SUREBLEND PAINT THINNER -- 8010-00-558-7026

Product ID:SUREBLEND PAINT THINNER MSDS Date:11/15/1997 FSC:8010 NIIN:00-558-7026 Status Code:A MSDS Number: CLGFC === Responsible Party === **Company Name: CRON CHEMCIAL CORPORATION** Address:2400 VINSON ST. City:DALLAS State:TX ZIP:75212-4607 Country:US Info Phone Num:214-631-6670 Emergency Ph one Num:800-424-9300 Preparer's Name: RYAN MICKELSON CAGE:1MPB8 === Contractor Identification === Company Name: CRON CHEMCIAL CORPORATION Address:2400 VINSON ST. Box:City:DALLAS State:TX ZIP:75212-4607 Country:US Phone:214-631-6670 CAGE:1MPB8

Ingred Name:MINERAL SPIRITS CAS:8030-30-6 Code:F RTECS #:DE3030000 &It; Wt:100. OSHA PEL:400 MG/M3;100 PPM ACGIH TLV:1590 MG/M3;400 PPM

===== Hazards Identification ====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

- Health Hazards Acute and Chronic:REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE C ONTENTS MAY BE HARMFUL OR FATAL. Effects of Overexposure:EYE CONTACT: LIQUID, AEROSOLS AND VAPORS OF
- THIS PRODUCT ARE IRRITATING AND CAN CAUSE PAIN, TEARING, REDDENING AN
- D SWELLING ACCOMPANIED BY A STINGING SENSATION AND/OR A FEELING LIKE THAT OF FINE DUST IN THE EYES. CAUSES EYE IRRITATION. SKIN CONTACT: PROLONGED OR REPEATED CONTACT CAN RESULT IN DEFATTING AND DRYING OF THE SKIN WHICH MAY RESULT IN SKIN IRRITATION AND DERMATITIS (RASH). INHALATION: HA RMFUL IF INHALED. MAY AFFECT THE BRAIN OR NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA.

First Aid:EYE CONTACT: I

N CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. SKIN CONTACT: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER . GET MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE IMMEDIATE MEDICAL ATTENTION.

Flash Point:=48.9C, 120.F
Lower Limits:0.9
Upper Limits:6.0
Extinguishing Med
ia:ALCOHOL FOAM, CO2, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:CONTAINERS CAN BUILD UP PRESSURE IF EXPOSED TO HEAT (FIRE). WATER RUNOFF CAN CAUSE ENVIROMENTAL DAMAGE. DIKE AND COLLECT WATER USED TO FIGHT FIRE. WATER MAY BE INEFFECTIVE. WATER SHOULD BE USED TO COO L CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:EMPTY CONTAINERS RETAIN PRODUCT RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONT AINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. EMPTY DRUMS SHOULD BE COMPLETELY DRAINED, PROPERLY BUG

Spill Release Procedures: ABSORB SPILL WITH INERT MATERIAL, THEN PLACE IN A CHEMICAL SAFE CONTAINER.

Handling and Storage Precautions: WASH THOROUGHLY AFTER HANDLING . AVOID

CONTACT WITH EYES, SKIN, AND CLOTHING

Respiratory Protection: USE ONLY WITH ADEQUATE VENTILATION. A NIOSH/MSHA APPROVED AIR PURIFYING RESPIRATOR WITH AN ORGANIC VAPOR CARTRIDGE OR CANISTER MAY BE PERMISSIBLE UNDER CERTAIN CIRCUMSTANCES WHERE AIRBORNE CONCENTRATI ONS ARE EXPECTED TO EXCEED EXPOSURE LIMITS. PROTECTION PROVIDED BY AIR PURIFYING RESPIRATORS IS LIMITED. USE A POSITIVE PERSSURE AIR SUP

PLIED RESPIRATOR IF THER

Ventilation:LOCAL EXHAUST VENTILATION MAY BE NECESSARY TO CONTROL ANY AIR CONTAMINANTS TO WITHIN THEIR TLV'S DURING THE USE OF THIS PRODUCT. USE EXPLOSION PROOF VENTILATION

Protective Gloves:WHERE CONTACT IS LIKELY, WEAR CHEMICAL RESISTANT GLOVES.

Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELDS AND FACE SHIELD Other Protective Equipment:USE APPROVED BONDING AND GROUNDING PROCEDURES.

Work Hygienic Practices: WASH HANDS BEFORE EATING. REMOVE CONTAMINATE D

CLOTHING AND WASH BEFORE REUSE. USE ONLY IN A WELL VENTILATED AREA. FOLLOW ALL MSDS/LABEL PRECAUTIONS EVEN AFTER CONTAINER IS EMPTIED BECAUSE THEY MAY RETAI Supplemental Safety and Health

Boiling Pt:B.P. Text:310-405 DEG F Spec Gravity:0.7685 Solubility in Water:INSOLUBLE Appearance and Odor:HYDROCARBON

NO INFORMATION Stability Condition to Av oid:DO NOT STORE NEAR OXIDIZERS Hazardous Decomposition Products:HAZARDOUS DECOMPOSITION PRODUCTS MAY FORM SUCH AS CARBON MONOXIDE, CARBON DIOXIDE, SMOKE, OXIDES OF NITROGEN AND VARIOUS HYDROCARBONS.

Conditions to Avoid Polymerization: THIS PRODUCT IS STABLE UNDER NORMAL STORAGE CONDITIONS.

Waste Disposal Methods: IN CASE OF SPILLAGE ABSORB WITH INERT MATERIAL AND DISPOSE OF IN ACCORDANCE WITH APPLICABLE REGULAT ION. THIS

MATERIAL MEETS RCRA'S CHARECTERISTIC DEFINITION OF IGNITIABLIITY AND SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

- State Regulatory Information:NEW JERSEY RIGHT TO KNOW: THE FOLLOWING MATERIALS ARE NON-HAZARDOUS, BUT ARE AMONG THE TOP FIVE COMPONENTS IN THIS PRODUCT. PENNSYLVENIA RIGHT TO KNOW: THE FOLLOWING NON HAZARDOU
- S INGREDIENTS ARE PRE SENT IN THE PRODUCT AT GREATER THAN 3 %. CALIFORNIA PROPOSITION 65: WARNING: THE CHEMICAL NOTED BELOW AND CONTAINED IN THIS PRODUCT, ARE KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, wa rrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.