

HAWKER ENERGY PRODUCTS INC (GATES ENERGY PRODUCTS, INC) -- SEALED LEAD BATTERY
(CLOSED CYLINDRICAL) -- 6140-01-441-3512

===== Product Identification =====

Product ID:SEALED LEAD BATTERY (CLOSED CYLINDRICAL)

MSDS Date:03/01/1990

FSC:6140

NIIN:01-441-3512

Status Code:A

MSDS Number: CLHDP

=== Responsible Party ===

Company Name:HAWKER ENERGY PRODUCTS INC (GATES ENERGY PRODUCTS, INC)

Address:617 NORTH RIDGEVIEW DR

City:WARRENSBURG

State:MO

ZIP:64093-9301

Country:

US

Info Phone Num:800-730-7733

Emergency Phone Num:(816) 429-2165

CAGE:0WY95

=== Contractor Identification ===

Company Name:CELL ENERGY INC

Address:3190-B ORANGE GROVE AVE

Box:City:NORTH HIGHLANDS

State:CA

ZIP:95660-5706

Country:US

Phone:916-484-7974

Contract Num:SP0430-01-M-FL50

CAGE:1U269

Company Name:HAWKER ENERGY PRODUCTS INC

Address:617 NORTH RIDGEVIEW DR

Box:City:WARRENSBURG

State:MO

ZIP:64093

Country:US

Phone:660-429-7528 / 800-964-2837

CAGE:0WY95

===== Composition/Information o

n Ingredients =====

Ingred Name:LEAD - LEAD OXIDES

= Wt:69.

ACGIH TLV:0.05 UG/M3

Ingred Name:SULFURIC ACID ELECTROLYTE

= Wt:21.

ACGIH TLV:1 MG/M3

Ingred Name:NON-HAZARDOUS MATERIALS

= Wt:10.

===== Hazards Identification =====

Health Hazards Acute and Chronic:NOT APPLICABLE FOR FINISHED PRODUCT
USED IN NORMAL CONDITIONS. STATEMENT INCLUDED WITH MSDS FROM
RESPONSIBLE PARTY: "THE GATES SEALED LEAD ACID BATTERY IS DETERMINED
TO BE AN "ARTICLE"
E" ACCORDING TO THE OSHA HAZARD COMMUNICATION
STANDARD AND IS THEREBY EXCLUDED FROM ANY REQUIREMENTS OF THE
STANDARD. THE ATTACHED MATERIAL SAFETY DATA SHEET IS THEREFORE
SUPPLIED FOR INFORMATION PURPOSES ONLY."

===== First Aid Measures =====

First Aid:BATTERY CONTAINS ACID ELECTROLYTE. IF BATTERY CASE IS
PUNCTURED, COMPLETELY FLUSH ANY RELEASED MATERIAL FROM SKIN OR EYES
WITH WATER.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE

Lower Limits:/A

Extinguishing Media:MULTI-PURPOSE DRY CHEMICAL OR MULTI-PURPOSE CO2.

Fire Fighting Procedures:COOL BATTERY EXTERIOR TO PREVENT RUPTURE. ACID
MISTS AND VAPORS IN A FIRE ARE TOXIC AND CORROSIVE.

Unusual Fire/Explosion Hazard:HYDROGEN GAS MAY BE PRODUCED AND MAY
EXPLODE IF IGNITED. REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID CO

NTACT WITH ACID MATERIALS. USE SODA
ASH OR LIME TO NEUTRALIZE. FLUSH WITH LARGE AMOUNTS OF WATER.
Neutralizing Agent:SODA ASH OR LIME.

===== Handling and Storage =====

Other Precautions:READ MANUFACTURERS LITERATURE, WHICH IS AVAILABLE
UPON REQUEST.

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:Z4

===== Stabil
ity and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:AVOID SHORTING. USE ONLY APPROVED CHARGING
METHODS. DO NOT PUNCTURE BATTERY CASE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN ACID RESISTANT CONTAINERS. DISPOSE OF
IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. DO NOT
INCINERATE.

===== M
SDS Transport Information =====

Transport Information:AS AN " ARTICLE" THIS PRODUCT IS EXCLUDED FROM
ANY REQUIREMENTS OF THE STANDARD. THIS IMPLIES THAT BATTERY MEETS
REQUIREMENTS OF REGULATIONS UNDER 49 CFR 173.159(D) AND REQUIRES
THAT BATTERIES BE PROT ECTED AGAINST SHORT CIRCUITS AND SECURELY
PACKAGED AND THE BATTERY AND OUTER PACKAGING PLAINLY AND DURABLY
MARKED "NONSPILLABLE" OR "NONSPILLABLE BATTERY". ALSO THE BATTERIES
MUST BE CAPABLE OF WITHST ANDI

NG , WITHOUT LEAKAGE OF BATTERY
FLUID, THE VIBRATION TEST AND THE PRESSURE DIFFERENTIAL TEST
SPECIFIED IN 49 CFR 173.159(D)(3)(I) AND (I I).

=====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.