View NSN Online: https://aerobasegroup.gr/nsn/6850-01-267-7989

Product ID:VP-30 VISIBLE PENETRANT

MSDS Date:01/01/2001

FSC:6850

NIIN:01-267-7989 Status Code:A

MSDS Number: CLJSQ === Responsible Party ===

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Info Phone Num:310-450-1111/FAX 452-4046

Emer

gency Phone Num:(800)424-9300 Preparer's Name:NOT PROVIDED Chemtrec Ind/Phone:(800)424-9300

CAGE:98733

=== Contractor Identification ===

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-01-M-ZG10

CAGE:98733

======= Composition/Information on Ingredients ========

Ingred Name: ALIPHATIC PETROLEUM DISTILLATES

CAS:64742-88-7 Minumum % Wt:40. Maxumum % Wt:60.

Other REC

Limi	IIS: 100 PPIVI (IVIFR)
===:	======================================
Rout	0 LC50 Mixture:NOT PROVIDED Ites of Entry: Inhalation:YES Skin:YES Ingestion:YES Forts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EYE CONTACT: LIQUID MAY CAUSE MILD IRRITATION. REDNESS. TEARING AND STINGING OF EYES. SKIN CONTACT: MAY CAUSE MILD SKIN IRRITATION. PROLONGED OR REPEATED CONTACT MAY DRY OUT THE SKIN DUE TO DEFATTING OF SKIN. SYMPTOMS M

AY INCLUDE

REDNESS, BURNING, AND CRACKING OF SKIN. SWALLOWING: SMALL AMOUNTS MAY NOT PRODUCE HARMFUL EFFECTS. LARGE AMOUNTS MAY BE HARMFUL. INHALATION: SMALL AMOUNTS MAY NOT BE HARM FUL. LARGE AMOUNTS MAY BE HARMFUL.

Explanation of Carcinogenicity: THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER, THE NATIONAL TOXIICOLOGY PROGRAM, OR OSHA.

Effects of Overexposure: STOMACH OR INTESTINAL UPSET (NAUSEA, VOMITING, DIARRHEA), IR

RITATION (NOSE, THROAT, AIRWAYS), CENTRAL NERVOUS SYSTEM DEPRESSION (DIZZINESS, DROWSINESS, FATIGUE, HEADACHE, UNCONSCIOUSNESS).

Medical Cond Aggravated by Exposure: NOT PROVIDED

First Aid:EYES: FLUSH EYES WITH CLEAN WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. SEEK MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH EXPOSED AREA WITH SOAP AND WATER. IF SYMPTOMS PERSIST, SE EK MEDICAL ATTENTION

. LAUNDER CLOTHING BEFORE

REUSE. CLEAN SHOES BEFORE REUSE. SWALLOWING: CALL PHYSICIAN IMMEDIATELY. IF INDIVIDUAL IS DROWSY OR UNCONSCIOUS, DO NOT GIVE ANYTHING BY MOUTH: PLACE INDI VIDUAL ON THEIR LEFT SIDE WITH HEAD DOWN. DO NOT LEAVE INDIVIDUAL UNATTENDED. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN, GET MEDICAL ATTENTION.

============ Fire Fighting Measures =========================

ash Point Method:TCC Flash Point:=62.2C, 144.F Autoignition Temp:=226.7C, 440.F

Lower Limits: 1.0 Upper Limits: 6.0

Extinguishing Media: DRY CHEMICAL, REGULAR FOAM OR CARBON DIOXIDE.

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACE PIECE OPERATE D IN THE PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.

Unusual Fire/Explosi

on Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY
TRAVEL ALONG THE GROUND TO DISTANT IGNITION SOURCE. SEALED
CONTAINERS MAY RUPTURE WHEN HEATED. EMPTY CONTAINER MAY CONTAIN
VAPORS AND RESIDUES.

======== Accidental Release Measures ============

Spill Release Procedures: VENTILATE AREA. REMOVE ALL SOURCES OF IGNITION. ISOLATE HAZARD AREA. WEAR PROTECTIVE GEAR, KEEP UNNECESSARY PERSONNEL AWAY. CONTAIN AND RECOVER LIQUID WHEN POSSIBLE. USE NON-SPARKING TOOLS. C

OLLECT LI QUID IN AN APPROPRIATE

CONTAINER OR ABSORB WITH INERT MATERIAL SUCH AS VERMICULITE, DRY SAND, OR EARTH; DO NOT USE COMBUSTIBLE MATERIALS, AND PLACE IN CHEMICAL WASTE CONTAINER. DO NOT FLUSH TO SEWER.

Neutralizing Agent: NOT RELEVANT

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE. STORE IN A COOL, DRY WELL-VENTILATED LOCATION, AWAY FROM AREAS WHERE FIRE HAZARD OR IGNITION SOURCES M

AY EXIST. OUTSIDE OR DETACHED STORAGE

IS PREFERRED. CONTAINERS SHOULD BE GROUNDED FOR TRANSERS TO AVOID STATIC SPARKS. STORE AND USE IN NO SMOKING AREA.

Other Precautions:CONTAINERS MAY BE HAZARDOUS WHEN EMPTY SINCE RESIDUE LIQUID AND VAPORS MAY BE PRESENT. USE NON-SPARKING TOOLS. ANY USE OF THIS PRODUCT IN ELEVATED TEMPERATURE PROCESSING SHOULD BE THOROUGHLY EVALUATED TO ESTABLISH AND MAINTAIN SAFE OPERATING CONDITIONS.

====== Exposure Controls/Personal Protec

tion =======

Respiratory Protection: PERSONAL RESPIRATORS (NIOSH APPROVED) IF EXPOSURE LIMIT IS EXCEEDED.

Ventilation: A SYSTEM OF LOCAL OR GENERAL EXHAUST IS RECOMMENDED TO KEEP EMPLOYEE EXPOSURE BELOW THE AIRBORNE EXPOSURE LIMITS. LOCAL EXHAUST PREFERREDTO CONTROL AT SOURCE.

Protective Gloves:WEAR RESISTANT GLOVES.

Eye Protection: CHEMICAL SPLASH GOGGLES, SAFETY GLASSES OR FULL FACE SHIELD.

Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR

IMPERVIOUS CLOTHING AND BOOTS. EYE WASH AND QUICK-DRENCH FACILITIES SHOULD BE NEAR WORK AREA.

Work Hygienic Practices: NOT PROVIDED

Supplemental Safety and Health

GENERAL OR GENERIC ID: AMS-2644, TYPE I I, METHODS A & C, PENETRANT.

======== Physical/Chemical Properties ===========

HCC:V4

NRC/State Lic Num: NOT RELEVANT

Boiling Pt:=179.4C, 355.F

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Pres: