

RALRUBE INC. -- WHITE LINOLEUM PASTE

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 00-273-8713  
MSDS Date: 08/01/1999  
MSDS Num: CLKML  
Product ID: WHITE LINOLEUM PASTE  
MFN: 01  
Responsible Party  
Cage: 6X798  
Name: RALRUBE INC.  
Address: 36977 FOX GLEN  
City: FARMINGTON HILLS MI 48331  
Info P  
Phone Number: 248-661-0260  
Emergency Phone Number: 800-424-9300  
Preparer's Name: ERNEST CARTER  
Chemtrec IND/Phone: (800)424-9300  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 6X798  
Name: RALRUBE INC.  
Address: 36977 FOX GLEN  
City: FARMINGTON HILLS MI 48331  
Phone: 248-661-0260, FAX 248-661-3941

=====  
Item Description Information  
==

=====  
Item Manager: GSA  
Item Name: ADHESIVE  
Specification Number: MMM-A-137  
Type/Grade/Class: CLASS 1  
Unit of Issue: GL  
UI Container Qty: 4

=====  
Health Hazards Data  
=====

Skin: YES  
Signs And Symptoms Of Overexposure: EYES: DIRECT CONTACT MAY CAUSE IRRITATION.  
SKIN: PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION. INHALATION: NON  
ANTICIPATED

UNDER NORMAL USE OF PRODUCT. INGESTION: MAY CAUSE CONSTIPATION.  
First Aid: IN CASE OF EYE CONTACT, FLUSH EYES CONTACT, FLUSH EYES WITH WATER FOR FIFTEEN (15) MINUTES, LIFTING UPPER AND LOWER LIDS OCCASIONALLY. GET IMMEDIATE MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHI NG.THOROUGHLY WASH AFFECTED AREA WITH SOAP AND WATER. GET MEDICAL ATTENTION. INGESTION: GET IMMEDIATE MEDICAL ATTENTION.

=====  
Handling and Disposal  
=====

=====  
Spill Release Procedures: SPILLS: WEAR APPROPRIATE PROTECTIVE EQUIPMENT TO PREVENT SKIN OR EYE CONTACT. TRANSFER TO A DOT APPROVED CONTAINER.  
Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL , STATE AND LOCAL REGULATIONS.  
Handling And Storage Precautions: USE AND STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM INCOMPATIBLE MATERIALS.

=====  
Fire and Explosion Hazard Information  
=====

=====  
Extinguishing Media: WATER, SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE.  
Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS AND OTHER PROTECTIVE EQUIPMENT AS CONDITIONS WARRANT.  
Unusual Fire/Explosion Hazard: CONTAINERS MAY BURST IN HEAT OF FIRE.

=====  
Control Measures  
=====

Respiratory Protection: NONE  
Ventilation: USE WITH ADE QUATE VENTILATION. OPEN DOORS AND WINDOWS, AND PROVIDE MECHANICAL VENTILATION AS NEEDED TO ASSURE FRESH AIR ENTRY AND EXHAUST.  
Protective Gloves: WEAR IMPERVIOUS GLOVES WHEN PROLONGED/ REPEATED CONTACT LIKELY.  
Eye Protection: SAFETY GLASSES OR CHEMICAL GOGGLES.  
Other Protective Equipment: A SOURCE OF CLEAN WATER SHOULD BE AVAILABLE IN THE WORK AREA FOR FLUSHING EYES AND SKIN.  
Work Hygienic Practices: CLEANSE SKIN THOROUGHLY AFTER CONTACT, BEFORE BREAKS AND AFTER WORK, USING SOAP AND WATE R OR HAND CLEANER.

=====  
Physical/Chemical Properties  
=====

Boiling Point: =100.C, 212.F  
Vapor Pres: 18 MM HG @ 58 F (WATER)  
Vapor Density: HEAVIER  
VOC Pounds/Gallon: 3.08  
VOC Grams/Liter: 15  
Evaporation Rate & Reference: SLOWER THAN ETHER  
Solubility in Water: DISPERSIBLE  
Appearance and Odor: OFF-WHITE PASTE WINTERGREEN  
Percent Volatiles by Volume: 46%

=====

Reactivity Data

=====

Stability Indicator: YES

Materials To Avoid: OXIDIZING AGENTS.

Hazardous Decomposition Products: FUMES, SMOKE, CARBON MONOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

HAZCOM Label

=====

Product ID: WHITE LINOLEUM PASTE

Cage: 6X798

Company Name: RALRUBE  
INC.

Street: 36977 FOX GLEN

City: FARMINGTON HILLS MI

Zipcode: 48331

Health Emergency Phone: 800-424-9300

Label Required IND: Y

Date Of Label Review: 08/31/2001

Status Code: A

Origination Code: G

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, state

s, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.