View NSN Online: https://aerobasegroup.com/nsn/4235-01-334-0982

JOHNS MANVILLE SERVICE CORP-FILTRATION & MANUFACTURING DIV -- MELT BLOWN NON-WOVEN ROLL GOODS -- 4235-01-334-0982

============= Product Identification ==================

Product ID:MELT BLOWN NON-WOVEN ROLL GOODS

MSDS Date:07/30/1998

FSC:4235

NIIN:01-334-0982 Status Code:A

MSDS Number: CLLCH === Responsible Party ===

Company Name: JOHNS MANVILLE SERVICE CORP-FILTRATION & MANUFACTURING DIV

Address: MAIL STOP 3-15

Box:51 08

City:DENVER

State:CO ZIP:80217 Country:US

Info Phone Num:303-978-2902

Emergency Phone Num:800-424-9300 Resp. Party Other MSDS Num.:2084-1.1 Chemtrec Ind/Phone:(800)424-9300

**CAGE:8V867** 

=== Contractor Identification ===

Company Name: INDUSTRIAL SUPPLY INC

Address:4601 STATE AVE SUITE 42

Box:City:KANSAS CITY

State:KS ZIP:66102 Country:US

Phone:913-685-1830

Contract Num:SP0450-01-D4077

CAGE:1NKA8

Company Name: MANVILLE SERVICE CORP

Address: MAIL STOP 3-15


Box:5108 City:DENVER State:CO ZIP:80217 Coun try:US Phone:303-978-2902 CAGE:8V867 ====== Composition/Information on Ingredients ======== Ingred Name:POLYPROPYLENE CAS:9003-07-0 RTECS #:UD1842000 =========== Hazards Identification ========================== LD50 LC50 Mixture: NO DATA PROVIDED BY RESPONSIBLE PARTY. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Health Hazards Acute and Chronic:ACUTE(SHORT-TERM) HEALTH EFFECTS: NOT APPLICABLE. CHRONIC (LONG-TERM) HEALTH EFFECTS: NOT APPLICABLE. TARGET ORG ANS: NONE. PRIMARY ROUTES OF ENTRY(EXPOSURE): NONE. Explanation of Carcinogenicity: NO DATA PROVIDED BY RESPONSIBLE PARTY. Effects of Overexposure: INHALATION: NOT APPLICABLE. SKIN: NOT APPLICABLE. ABSORPTION: NOT APPLICABLE. INGESTION: NOT APPLICABLE. EYE: NOT APPLICABLE. Medical Cond Aggravated by Exposure: NO DATA PROVIDED BY RESPONSIBLE PARTY. First Aid:INHALATION: NOT APPLICABLE. SKIN: NOT APPLICABLE. ABSORPTIO N: NOT APPLICABLE. INGESTION: NOT APPLICABLE. EYE: NOT APPLICABLE. Flash Point:>316.C, 600.8F

Autoignition Temp:>302.C, 575.6F

Lower Limits:N/D Upper Limits:N/D

Extinguishing Media:CARBON DIOXIDE(CO2), FOAM, DRY CHEMICAL, OR WATER SPRAY.

Fire Fighting Procedures:WATER SHOULD BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL. WATER OR DRY CHEMICAL USED MAY CAUSE DAMAGE TO MACHINERY. SELF-CONTAINED BREATHING APPARATU



ARE NOT EXPECTED TO RELEASE, OR OTHERWISE RESULT IN EXPOSURE TO A HAZARDOUS CHEMICAL.

======== Physical/Chemical Properties ===========

HCC:N1

Boiling Pt:B.P. Text:NOT APPLICABLE.

Melt/Freeze Pt:>107.C, 224.6F

Vapor Pres:NEGLIGIBLE

Spec Gravity: VARIES BY GRADE

Evaporation Rate & Evaporation R

Solubility in Water: INSOLUBLE

Appearance and Odor:WHITE MELT BLOWN

NON-WOVEN MATERIAL; NO ODOR.

II); THE
COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY
ACT (CERCLA), OR THE TOXIC SUBSTANCE CONTROL ACT (TSCA).
Federal Regulatory Information:TOXIC SUBSTANCE CONTROL ACT INVENTORY
(TSCA 8(B)): THE COMPONENTS OF THIS PRODUCT ARE LISTED.
State Regulatory Information:STATES ENFORCING 1989 AIR CONTAINMMENT
STANDARDS: AK, CA, CT, ME, MT, MN, NM, TN,WA, WI. CADADA EPA
DOMESTIC SUBSTANCE LIST (DSL): THE PRODUCT AND ITS COMPONENTS ARE
LISTED.

=======	Other Information	

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitab ility of this information to their particular situation.