

PRC-DESOTO INTL INC -- PRO-SEAL 870 C-48 -- 8030-01-192-2807

===== Product Identification =====

Product ID:PRO-SEAL 870 C-48

MSDS Date:06/11/1995

FSC:8030

NIIN:01-192-2807

Status Code:A

MSDS Number: CLLLD

=== Responsible Party ===

Company Name:PRC-DESOTO INTL INC

Address:5454 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91203

Country:US

Info Phone Num:818-240-2060/800-228-5635

Emergency Ph

one Num:800-228-5635

Preparer's Name:ERNEST CARTER

CAGE:92108

=== Contractor Identification ===

Company Name:PRC-DESOTO INTL INC

Address:5454 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91203

Country:US

Phone:818-240-2060/800-228-5635

CAGE:92108

===== Composition/Information on Ingredients =====

Ingred Name:TITANIUM DIOXIDE

CAS:013463-67-7

= Wt:10.

Ingred Name:CALCIUM CARBONATE LIMESTONE

CAS:001317-65-3

= Wt:10.

Ingred Name:TOLUENE

CAS:000108-88-3

= Wt:10.

Ingred N

ame:POLYSULFIDE POLYMER
CAS:068611-50-7

Ingred Name:SILICA DERIVATIVES
CAS:067762-90-7

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYES: MAY CAUSE BURNING, TEARING AND REDDENING. SKIN: PROLONGED EXPOSURE MAY CAUSE DRYING AND CRACKING OF SKIN, AND POSSIBLE DERMATITIS. INHALATION: MAY CAUSE DIZZINESS, DROWSINESS AND FATIGUE. MAY CAUSE LIVER AND KIDNEY DAMAGE.

INGESTION: MAY CAUSE DROWSINESS AND NAUSEA. MAY CAUSE DISTURBANCE IN MEMORY, THINKING ABILITY, EMOTIONS AND COORDINATION.

Explanation of Carcinogenicity:NONE

Medical Cond Aggravated by Exposure:

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH

AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:CALC

Flash Point:=18.3C, 65.F

Autoignition Temp:Autoignition Temp Text:NONE

Lower Limits:1.2

Upper Limits:NONE

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERAT

URE MAY CAUSE PRESSURE BUILD
UP IN CLOSED CONTAINER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. COVER WITH
ABSORBENT. SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE
SOLVENT.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND
BEFORE SMOKING OR EATING. AVOID INGESTION.

Other Precautio

ns:EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DO NOT CUT,
PUNCTURE OR WELD ON OR NEAR DRUM. VAPORS OF THIS PRODUCT ARE
HEAVIER THAN AIR AND MAY COLLECT IN LOW OR CONFINED AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO
PRODUCE AIRBORNE LEVEL OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV,
USE AN ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENTILATION TO MAINTAIN
VAPORS BELOW PEL.

Protective Gloves:SOLVENT RESISTANT GLOVES.

Eye Protection:CHEMICAL GOGGLES OR FULL-FACE SHIELD.

Other Protective Equipment:KEEP CONTAINER TIGHTLY CLOSED.DO NOT STORE
ABOVE 120 DEG. F.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NONE

Melt/Freeze Pt:M.P/F.P Text:NONE

Decomp Temp:Decomp Text:NONE

Vapor Density:HEAVIER

Spec Gravity:1.43

VOC Pounds/Gallon:124

Appearance and Odor:BEIGE SEMI-LIQUID

Per

cent Volatiles by Volume:19.4%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE,
TRACES OF HYDROGEN SULFIDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:EPA NO. D-001 HAZARDOUS WASTE. DISPOSE OF IN
COMPL

ANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of th
is information to their
particular situation.