

COURTAULDS AEROSPACE INC -- POLYSULFIDE RUBBER COMPOUND PR1750 A-1/2 --
8030-00-602-0107

===== Product Identification =====

Product ID:POLYSULFIDE RUBBER COMPOUND PR1750 A-1/2

MSDS Date:09/30/1996

FSC:8030

NIIN:00-602-0107

Status Code:A

MSDS Number: CLLRV

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:

US

Info Phone Num:818-240-2060

Emergency Phone Num:818-240-2060

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:PHENOLIC RESIN

CAS:028470-78-2

< Wt:5.

Ingred Name:METHYL ET

HYL KETONE
CAS:000078-93-3
= Wt:10.
OSHA PEL:200 PPM
OSHA STEL:300
ACGIH TLV:200 PPM
ACGIH STEL:300

Ingred Name:TITANIUM DIOXIDE
CAS:013463-67-7
< Wt:5.
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:CALCIUM CARBONATE@LIMESTONE
CAS:001317-65-3
= Wt:25.
OSHA PEL:15.0 MG/M3
ACGIH TLV:10.0 MG/M3

Ingred Name:TOLUENE
CAS:000108-88-3
= Wt:5.
OSHA PEL:100 PPM
OSHA STEL:150
ACGIH TLV:50 PPM

===== Hazards Identification =====

LD50 LC50 Mixture:NONE

Health Hazard

Acute and Chronic:NONE

Effects of Overexposure:EYES: MAY CAUSE BURNING, TEARING AND REDDENING.

SKIN: PROLONGED EXPOSURE MAY CAUSE DRYING AND CRACKING OF SKIN, AND POSSIBLE DERMATITIS. INHALATION: MAY CAUSE DIZZINESS, DROWSINESS AND FATIGUE. MAY CAUSE LIVER AND KIDNEY DAMAGE. INGESTION: MAY CAUSE DROWSINESS, DIZZINESS AND NAUSEA. EFFECTS OF LONG TERM (CHRONIC) EXPOSURE MAY CAUSE DISTURBANCE IN MEMORY, THINKING ABILITY, EMOTIONS AND COORDINATION .

Medical Condition Aggravate

d by Exposure:NONE

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYM PTOMS PERSIST, CONSULT PHYSICIAN. INGESTION: CONSULT PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Autoignition Temp:Autoignition
Temp Text:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:NONE
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Handling and Storage
=====

Other Precautions:

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE
Ventilation:GENERAL VENTILATION.
Protective Gloves:SOLVENT GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:NONE
Work Hygienic Practices:NONE
Supplemental
Safety and Health
NONE

=====
Physical/Chemical Properties
=====

Viscosity:1200 P #7 AT 10 RPM
Solubility in Water:SLIGHT

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE,
TRACES OF HYDROGEN SULFIDE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

=====
Disp

Waste Disposal Methods:

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.