

GC THORSEN -- PRINT KOTE CONFORMAL COATING -- 8010-00-711-2173

=====  
Product Identification  
=====

Product ID:PRINT KOTE CONFORMAL COATING

MSDS Date:07/24/1996

FSC:8010

NIIN:00-711-2173

Status Code:A

MSDS Number: CLLWV

=== Responsible Party ===

Company Name:GC THORSEN

Address:1801 MORGAN STREET

City:ROCKFORD

State:IL

ZIP:61105

Country:US

Info Phone Num:815-968-9661

Emergency Phone Num:(800)424-9300

Preparer's Name:HENRY SIMMONS

Chemtre Ind/Phone:(800)424-9300

CAGE:72653

=== Contractor Identification ===

Company Name:GC THORSEN

Address:1801 MORGAN STREET

Box:City:ROCKFORD

State:IL

ZIP:61105

Country:US

Phone:815-968-9661

CAGE:72653

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE

CAS:108-88-3

RTECS #:XS5250000

&lt; Wt:60.

OSHA PEL:SEE TABLE Z-2

ACGIH TLV:188 MG/M3;50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:BENZENE

CAS:71-43-2

RTE

CS #:CY1400000

= Wt:0.

OSHA PEL:SEE 1910.1028

ACGIH TLV:32 MG/M3;10 PPM

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:SILICONE RESIN

CAS:110775-80-9

&lt; Wt:60.

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES

Effects of Overexposure:EYE AND SKIN IRRITATION, ANESTHESIA, HEADACHE,  
DIZZINESS, NAUSEA.

=====  
===== First Aid Measures =====

====

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES AND GET  
MEDICAL ATTENTION IMMEDIATELY AFTER FLUSHING. SKIN: WASH WITH SOAP  
AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE.  
INHALATION: FRESH AIR, OXYGEN, ARTIFICIAL RESPIRATION IF  
NECESSARY. INGESTION: DO NOT INDUCE VOMITING. SLOWLY DILUTE WITH  
1-2 GLASSES OF WATER OR MILK AND SEEK MEDICAL ATTENTION. NEVER GIVE  
ANYTHING BY MOUTH TO A N UNCONSCIOUS PERSON.

=====  
===== Fire Fightin  
g Measures =====

Flash Point Method:CC

Flash Point:=10.C, 50.F

Lower Limits:1.2

Upper Limits:7.0

Extinguishing Media:CO2, H2O, H2O FOG, CHEM FOAM, DRY CHEM

Fire Fighting Procedures:TREAT A FLAMMABLE LIQUID

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES - ABSORB WITH AN  
INERT MATERIAL - STORE IN METAL CONTAINERS FOR DISPOSAL.

=====  
===== Handling and Sto

rage =====

Handling and Storage Precautions:AVOID HIGH TEMPERATURES AND IGNITION SOURCES. STORE IN A COOL, VENTILATED AREA.

Other Precautions:AVOID INHALATION AND SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROVED NIOSH RESPIRATORY PROTECTION IF TLV IS EXCEEDED.

Ventilation:LOCAL EXHAUST, MECHANICAL AS REQUIRED TO MEET TLV'S.

Protective Gloves:RUBBER GLOVES - APRON IF NECESSARY.

Eye Protection:CHEMICALS G

OGGLES, FACE SHIELD OR SAFETY GLASSES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=95.C, 203.F

Vapor Pres:22 MMHG

Vapor Density:3.2

Spec Gravity:.9

Evaporation Rate & Reference:2

Solubility in Water:NOT

Appearance and Odor:CLEAR VISCOUS LIQUID - TOLUENE ODOR

Percent Volatiles by Volume:50

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CONTACT WITH OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT AND IGNITION SOURCES.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND FORMALDEHYDE.

===== Disposal Considerations =====

Waste Disposal Methods:LINCENSED INCINERATOR OR PER GOVERNMENT REGULATIONS.

===== Regulatory Information =====

SARA Title III Information:THIS PRODUCT CONTAINS TOXIC CHEMICALS WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION

313 OF TITLE

III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND  
CFR PART 372.

State Regulatory Information:WARNING: THIS PRODUCT CONTAINS A CHEMICAL  
KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER  
REPRODUCTIVE HARM. WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN  
TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.