

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY -- PR-1750 B-1/2, PART B BASE COMPONENT -- 8030-00-602-0045

=====  
Product Identification  
=====

Product ID:PR-1750 B-1/2, PART B BASE COMPONENT

MSDS Date:09/15/2000

FSC:8030

NIIN:00-602-0045

Status Code:A

MSDS Number: CLRRD

=== Responsible Party ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO

RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PROPANE, 1

,2,3-TRICHLORO-, POLYMER WITH  
1,1'-(.METHYLENEBIS(OXY).).BIS.(.2-CHLOROETHANE.). AND SODIUM  
SULFIDE (NA2(SX)), REDUCED

CAS:68611-50-7

Minumum % Wt:30.

Maxumum % Wt:60.

Ingred Name:CALCIUM CARBONATE

CAS:471-34-1

RTECS #:FF9335000

Minumum % Wt:10.

Maxumum % Wt:30.

Ingred Name:LIMESTONE

CAS:1317-65-3

RTECS #:EV9580000

Minumum % Wt:1.

Maxumum % Wt:10.

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

&lt; Wt:5.

OSHA PEL:15 MG/M3

ACGIH TLV:

10 MG/M3

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: SUBSTANCE IS NOT LIKELY TO  
BE HAZARDOUS BY INHALATION. EYE CONTACT:SUBSTANCE MAY CAUSE  
IRRITATION. SKIN CONTACT: SUBSTANCE MAY CAUSE MINOR IRRITATION ON  
REPEATED EXPOSURE. INGESTION: SUBST ANCE IS HARMFUL IF SWALLOWED.

Effects of Overexposure:REPEATED O

VEREXPOSURE MAY CAUSE HEADACHES,

DIZZINESS, DROWSINESS, UNCONSCIOUSNESS AND CENTRAL NERVOUS SYSTEM  
EFFECTS.

=====  
===== First Aid Measures =====

First Aid:INHALATION: IF INHALED, REMOVE FROM AREA TO FRESH AIR. IF NOT  
BREATHING, GIVE ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL  
ATTENTION. EYE CONTACT: IMMEDIATELY FLUSH EYES FOR AT LEAST 15  
MINUTES WITH RUNNING WATER. HOLD EYELIDS APART TO ENSURE RINSING  
OF THE ENTIRE EYE SURFACE AND LID

S WITH WATER. GET MEDICAL

ATTENTION. SKIN CONTACT: WIPE EXCESS MATERIAL WITH DRY TOWEL. THEN WASH EXPOSED AREAS WITH PLENTY OF WATER, AND SOAP IF AVAILABLE, FOR SEVERAL MINUTES. GET MEDICAL ATTENTION. INGESTION: IF SWALLOWED DILUTE BY GIVING TWO(2) GLASSES OF WATER TO DRINK. GET IMMEDIATE MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:USE COMPLETE PERSONAL PROTECTION. USE WATER TO

COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:DECOMPOSITION AND COMBUSTION PRODUCTS MAY BE HAZARDOUS. NO UNUSUAL HAZARDS KNOWN.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:COVER WITH ABSORBENT MATERIAL IF NECESSARY.

SCOOP INTO CONTAINERS. CLEAN UP RESIDUE WITH A SUITABLE CLEANING SOLVENT. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.

=====  
Handling and Storage  
=====

age

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. STORE IN A DRY LOCATION. WEAR PROPER PERSONAL PROTECTIVE EQUIPMENT (SEE SECTION VIII). WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NOT NORMALLY REQUIRED.

Ventilation:GOOD GENERAL MECHANICAL VENTILATION.

Protective Gloves:CHEMICALLY RESISTANT GLOVES.

Eye Protection:SAFETY GLASSES.

Other

Protective Equipment:SAFETY SHOWER, EYE WASH STATION AND WASHING FACILITIES SHOULD BE AVAILABLE. WHEN USING IN CIRCUMSTANCES WHERE SKIN CONTACT IS LIKELY, USE COMPLETE PROTECTIVE GARMENTS.

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

Vapor Density:HEAVIER

Spec Gravity:1.573

VOC Pounds/Gallon:35

Evaporation Rate & Reference:SLOWER THAN N-BUTYL ACETA

Appearance and Odor:BEIGE PASTE.

Percent Volatiles by Volume:3.1%

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS, STRONG ACIDS.

Stability Condition to Avoid: STRONG OXIDIZING AGENTS, STRONG ACIDS.

Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN, SULFUR DIOXIDE, TRACES OF HYDROGEN SULFIDE.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: WHEN DISPOSING OF THIS MATERIAL, ENSURE THAT IT

IS PACKAGED, STORED, TRANSPORTED, AND OTHERWISE HANDLED IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

===== Regulatory Information =====

SARA Title III Information: SECTION 313-TOXIC CHEMICAL LIST (TCL): THIS PRODUCT DOES NOT CONTAIN A TOXIC CHEMICAL FOR ROUTINE ANNUAL "TOXIC CHEMICAL RELEASE REPORTING" UNDER SECTION 313 (40 CFR 372). SECTION 302-CERCLA: THIS PRODUCT CONTAINS NO CHEMICAL REGULATED UNDER SECTION 3

02 AS EXTREMELY HAZARDOUS CHEMICALS FOR EMERGENCY RELEASE NOTIFICATION (CERCLA LIST).

State Regulatory Information: CHEMICALS KNOWN BY THE STATE OF CA TO CAUSE CANCER: THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS CURRENTLY ON THE CALIFORNIA LIST OF KNOWN CARCINOGENS. CHEMICALS KNOWN BY THE STATE OF CA TO CAUSE REPRODUCTIVE TOXICITY: THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL WHICH IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY. 000108-88-3 TOLUENE.

=  
===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility

for the suitability of this information to their particular situation.