View NSN Online: https://aerobasegroup.gr/nsn/3439-01-007-8134 J.W.HARRIS CO -- ALLOY 620 WELDING WIRE -- 3439-01-007-8134 ============= Product Identification ======================== Product ID:ALLOY 620 WELDING WIRE MSDS Date:01/01/1987 FSC:3439 NIIN:01-007-8134 MSDS Number: BGCWY === Responsible Party === Company Name: J.W. HARRIS CO Emergency Phone Num:513-891-2000 CAGE:27911 === Contractor Identification === Company Name: J. W. HARRIS CO., INC. Address:10930 DEERFIELD ROAD Box:City: CINCINNATI State:OH ZIP:45242-4110 Country:US Phone:513-891-2000 CAGE:27911 ======= Composition/Information on Ingredients ======== Ingred Name: NICKEL (SARA III) CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: 74.0% OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 Ingred Name: MOLYBDENUM CAS:7439-98-7 RTECS #:QA4680000 Fraction by Wt: 16.0%

OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3; 9293

=========== Hazards Identification ==========================

Effects of Overexposure: INHL:

| DIZZ,NAUS,URI IRRT,WELD FUME FEVER-BODY:ACHE,CHILLS,FEVER.WELDING ARC:POSS EYE & SKN BURNS. |
|--|
| ====================================== |
| First Aid:REMOVE TO FRESH AIR, GIVE ART RESP OR OXYGEN AS REQD. CALL PHYSICIAN IMMED. |
| ====================================== |
| Flash Point:NONE Extinguishing Media:AS REQD FOR NEARBY FIRE. Fire Fighting Procedures:AS REQD FOR NEARBY FIRE Unusual Fire/Explosion Hazard:WELDING ARC CAN IGNITE COMBUST IBLES. |
| ========== Handling and Storage ============ |
| Handling and Storage Precautions:DO NOT TOUCH LIVE ELECTRICAL PARTS OF WELDING GEAR,INSULATE BODY FROM WORK & GROUND. Other Precautions:PROVIDE PROTECTIVE SCREENS, FLASH GOGGLES TO NEARBY WORKERS AS REQD. AVOID DIRECT EYE, SKIN EXPOSURE TO WELD ARC. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:USE DUST,FUME RESPIRATOR AS REQD Ventilation:LOCAL EXHAUST, WELDING BOOT H |
| Protective Gloves:WELDERS GLOVES Eye Protection:WELD MASK W/FILTER LENS Other Protective Equipment:USE HEAD,BODY PROTECTION AS REQD,APRON,HAT,SHOULDER PROTECT Supplemental Safety and Health MSDS #21780 NON-STD DATED NOV 85. |
| ========= Physical/Chemical Properties ========= |
| HCC:N1 Appearance and Odor:SOLID WIRE |
| ======== Stability and Reactivity Data ========= |
| Stability Indicator/Materials to Avoid:YES NONE |
| Stability Condition to Avoid:NONE Hazardous |

Decomposition Products:WELD FUMES; CARBON, NITROGEN OXIDES, OZONE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibil ity for the suitability of this information to their particular situation.