

===== Product Identification =====

Product ID:AMMONIUM NITRATE

MSDS Date:01/01/1987

FSC:6810

NIIN:01-091-8676

MSDS Number: BGLMQ

=== Responsible Party ===

Company Name:MALLINCKRODT INC.,SCIENCE PRODUCT DIVISION

Address:PARIS BYPASS

Box:M

City:PARIS

State:KY

ZIP:40361

Country:US

Info Phone Num:314-982-5000

Emergency Phone Num:314-982-5000

CAGE:62910

=== Contractor Identification

===

Company Name:MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:908-859-2151

CAGE:62910

===== Composition/Information on Ingredients =====

Ingred Name:AMMONIUM NITRATE (SOLUTION) (SARA III)

CAS:6484-52-2

RTECS #:BR9050000

Fraction by Wt: 100%

===== Hazards Identification =====

Effects of Overexposure:INH:MAY IRRIT MUC MEMBRANE;ING:MAY CAUSE  
DIZZ,BLOODY DIARRHEA;

EYE/SKIN:MAY IRRIT,REDNESS,PAIN,ETC.

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR.GET MD FOR BREATHG  
DIFFICULTY;INGEST:IMMED INDUCE VOMIT BY GIVING 2 GL OF  
WATER/MILK.NOTHING BY MOUTH IF UNCONSCIOUS.GET MD IMMED;SKIN:WASH  
W/SOAP & WATER.GET MD IF IRRIT OCCURS ;EYES:FLUSH W/H\*20 FOR 15  
MIN.GET MED ATTN IMMED.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:EXTINQU  
ISH W. AGENT SUITABLE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL  
CONTR.  
Unusual Fire/Explosion Hazard:CONTACT W/OXIDIZABLE SUBSTANCES MAY CAUSE  
EXTREMELY VIOLENT COMBUSTION.MAY SUPPORT COMBUSTN IN FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:USE APPROP PROTCTV EQUIP.RMV IGNITION/HEAT  
SOURCES.SWEEP OR SCOOP UP & TRANSFR TO A CLOSD(METAL) CONTNR FOR  
RECLAMATION/DISPOSAL/ALTRNTVLY  
,SWEEP SPILL INTO A CONTNR & DISSOLV  
IN LG AMT OF H\*20.ADD SOD A ASH.MIX & NEUTRLZ W/6M-HCL.KEEP SLUDGE  
IN CNTNR.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN TIGHTLY CLOSED CONTNRS AT  
COOL,DRY,VENTILATED PLACE.PROTECT AGAINST PHY DAMAGE.DO NOT STORE  
ABOVE 130F.SEPARATE FM ORGANIC/OXIDIZABLE MATERIAL  
Other Precautions:AVOID BREATHING DUST.USE W/ADEQUATE VENTILATION.KEEP  
CONTAINRS CLOSED.WASH THOROUGHLY AFTER HA  
NDLING.AVOID SKIN,EYES &  
CLOTHING CONTACT,DANGER! STRONG OXIDZR.CONTCT W/OTHR MATL MAY CAUSE  
FIRE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SUPPLIED AIR RESPIR/SCBA; ESCAPE: GAS MASK  
Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.  
Protective Gloves:IMPERVIOUS  
Eye Protection:GOGGLES/FACE SHIELD  
Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE  
WASH STATION  
Supplemental Safety and Health  
MSDS FROM MFR DATED:08-09-85

CONFORMS WITH OSHA HAZ COMM STD.AMM  
NITRATE DECOMPOSES @ 210C(410F);CLASS 3 ITEM OF MIL-A-175.

===== Physical/Chemical Properties =====

HCC:D1  
Spec Gravity:1.7  
Solubility in Water:COMPLETE  
Appearance and Odor:ODORLESS,COLORLESS CRYSTALS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
REDUCRS,MANY METAL & THEIR SALTS,ACETIC ACID,CORR MATL,KCLO3  
Hazardous Decomposition Products:EMITS NITRIC OXIDE F  
UMES ON DECOMP  
PT;MAY GIVE NH\*3 W/ALKALI

===== Disposal Considerations =====

Waste Disposal Methods:COLLECTED WASTE AND/OR NEUTRALIZED SLUDGE IN  
CLOSED,PREFERABLY METAL CONTAINERS MAY BE SENT TO AN RCRA APPROVED  
WASTE DISPOSAL FACILITY.ENSURE COMPLIANCE W/LOCAL,STATE & FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. Th  
e United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.