View NSN Online: https://aerobasegroup.gr/nsn/6840-00-958-9735

NATIONAL LABORATORIES, ROCKITT & COLEMAN INC. -- PROFESSIONAL LYSOL BRAND HOSPITAL BULK DISINFECTANT,2500-000 -- 6840-00-958-9735

============= Product Identification ==================

Product ID:PROFESSIONAL LYSOL BRAND HOSPITAL BULK DISINFECTANT, 2500-000

MSDS Date:03/15/1996

FSC:6840

NIIN:00-958-9735
MSDS Number: BHLXL
=== Responsible Party ===

Company Name: NATIONAL LABORATORIES, ROCKITT & COLEMAN INC.

Address:225 SUMMIT AVE City:MONTVALE

State:NJ ZIP:07645 Country:US

Info Phone Num:201-573-5700

Emergency Phone Num:201-573-5700/800-424-9300(CHEMTREC)

CAGE:63180

=== Contractor Identification ===

Company Name: RECKITT AND COLMAN INC

Address:1655 VALLEY ROAD

Box:City:WAYNE

State:NJ ZIP:07474 Country:US

Phone:800-338-6167

CAGE:63180

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000 Fraction by Wt: 1.8-2.0% Other REC Limits:N ONE RECOMMENDED OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9596

Ingred Name: O-BENZYL-P-CHLOROPHENOL

CAS:120-32-1

RTECS #:GO7175000 Fraction by Wt: 2.7%

Other REC Limits: NONE RECOMMENDED

Ingred Name:2-PHENYLPHENOL (SARA 313)

CAS:90-43-7

RTECS #:DV5775000 Fraction by Wt: 2.8%

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification ============================

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

icity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL TRACTS. ACUTE- MAY CAUSE EYE OR SKIN IRRITATION. MAY BE HARMFUL IF INHALED. HARMFUL IF SWALLOWED. CHRONIC- UNKNOWN.

**Explanation of Carcinogenicity:NONE** 

Effects of Overexposure:IRRITATION, REDNESS, NAUSEA, VOMITING, TEARING Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF

=======================================	First Aid Measures	

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:IF CONSCIOUS, DRINK PLENTY OF WATER. SEEK IMMEDIATE MEDICAL ATTENTION.

========== Fire Fighting Measures ============

Flash Point Method:TCC Flash Point:>200F,>93C

THIS PRODUCT.

Extinguishing Media: WATER SPRAY, CARBON DIOXI

DE, FOAM OR DRY CHEMICAL

FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE EXPECTED

	Accidental	Release	Measures	=======================================
--	------------	---------	----------	---

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF PERMITTED. OTHERWISE, ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE. PLACE IN A CONTAINE

R FOR DISPOSAL. CLEAN AREA

THOROUGHLY TO REMOVE RESIDUAL CON TAMINATION.

Neutralizing Agent:ACID

|--|--|

Handling and Storage Precautions:STORE IN ORIGINAL CONTAINER. KEEP CONTAINER TIGHTLY CLOSED. KEEP AWAY FROM INCOMPATIBLES.
Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY. AVOID EYE AND SKIN CONTACT.

===

NRC/State Lic Num:NOT RELEVANT Vapor Density:>1 Spec Gravity:1.026 pH:10.7 Evaporation Rate & Description Reference: