

HAZ-MAT RESPONSE TECHNOLOGIES -- RUBBERIZER BOOMS, PILLOWS, PARTICULATE --  
9330-01-384-1393

===== Product Identification =====

Product ID:RUBBERIZER BOOMS, PILLOWS, PARTICULATE

MSDS Date:07/01/1990

FSC:9330

NIIN:01-384-1393

Kit Part:Y

MSDS Number: BSJDB

=== Responsible Party ===

Company Name:HAZ-MAT RESPONSE TECHNOLOGIES

Address:5841 BOX CANYON ROAD

City:LA JOLLA

State:CA

ZIP:92037

Country:US

Info

Phone Num:619-459-3383

Emergency Phone Num:619-459-3383

Preparer's Name:PHILLIP W. STAGG

CAGE:0GFG5

=== Contractor Identification ===

Company Name:HAZ-MAT RESPONSE TECHNOLOGIES

Address:5841 BOX CANYON RD

Box:City:LA JOLLA

State:CA

ZIP:92037

Country:US

Phone:619-459-3383

CAGE:0GFG5

===== Composition/Information on Ingredients =====

Ingred Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE  
PRESENT IN THIS PRODUCT.

Fraction by Wt: 100%

Other REC Limits:NONE RECO

MMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EXPOSURE MAY CAUSE EYE, SKIN &  
RESPIRATORY TRACT IRRITATION. CHRONIC: NONE STATED.  
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%  
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:INHALED: COUGHING, SNEEZ  
ING, WHEEZING,  
SHORTNESS OF BREATH. EYES: REDNESS, TEARING, DISCOMFORT. SKIN:  
REDNESS, DISCOMFORT.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALED: REMOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER  
FOR 15 MINUTES, HOLD LIDS OPEN. SEE DOCTOR IF SYMPTOMS PERSIST.  
SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER.  
INGESTED: NONE STATED.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:325F,163C  
Extinguishing Media:CARBON DIOXIDE, LOW PRESSURE WATER, OR DRY CHEMICAL  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. USE  
LOW PRESSURE WATER; HIGH PRESSURE MAY CAUSE DUST TO BECOME  
AIRBORN-CAUSING A DUST EXPLOSION.  
Unusual Fire/Explosion Hazard:DUST AND AIR MIXTURES MAY BE EXPLOSIVE IN  
THE PRESENCE OF SPRAKS OR ANY IGNITION SOURCE. SIMILAR AHZARD AS  
FOUND WITH ORGANIC  
DUST/AIR MIXTURES.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP AND PLACE IN A CONTAINER FOR LATER  
DISPOSAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE AWAY FROM  
SOURCES OF IGNITION AND STRONG OXIDIZING AGENTS. STORE UNDER 125F.  
Other Precautions:NONE

===== Exposure Controls/Personal

Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR WITH DUST CARTRIDGE OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation:SUFFICIENT LOCAL EXHAUST TO AMINTAIN EXPOSURE BELOW REGULATORY LIMITS.

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,

DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:0.89 (WATER=1)

Evaporation Rate & Reference:N/K (N-BUTYL ACETATE=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:WHITE GRAINY MATERIAL; MILD, SWEET ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

St

ability Condition to Avoid:IGNITION SOURCES, EXCESSIVE HEAT, CONTACT WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

=====

Disclaimer (provided with this information by the compiling agencies):

This i

nformation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.