Status Code:A

MSDS Number: CJHWR === Responsible Party ===

Company Name: DUBOIS CHEMICALS

Address:2550 E 5TH ST

City:CINCINNATI

State:OH ZIP:45202 Country:US

Info Phone Num:800-543-4906

Emergency Phone Num:800-543-4906 Resp. Party Other MSDS Num::00780

С

hemtrec Ind/Phone:(800)424-9300

CAGE:72008

=== Contractor Identification ===

Company Name: DIVERSEY LEVER INC DUBOIS CHEMICALS DIV

Address:3630 E KEMPER RD Box:City:SHARONVILLE

State:OH ZIP:45241 Country:US

Phone:513-554-4200/ 800-543-4906 Contract Num:SP0450-99-M-NC30

CAGE:72008

======= Composition/Information on Ingredients ========

Ingred Name:SODIUM METASILICATE CAS:6834-92-0 RTECS #:VV9275000 & t; Wt:5.

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

< Wt:5. OSH A PEL:240 MG/M3;50 PPM ACGIH TLV:121 MG/M3;25 PPM

Ingred Name: SODIUM TRIPOLY PHOSPHATE

CAS:7758-29-4

RTECS #:YK4570000 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name:SODIUM DODECYBENZENE SULFONATE (MANUFACTURER GAVE CAS# 15155-30-0 WHICH IS AN INVALID CAS)

========== Hazards Identification =================

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES H

ealth Hazards Acute and Chronic:PRODUCT CONTAINS IRRITATING OR HARMFUL CHEMICALS WHICH MAY CAUSE EYE OR SKIN IRRITATION OR BURNS. MAY BE HARMFUL IF SWALLOWED; MAY CAUSE GASTRIC DISTRESS. INHALATION OF SPRAY OR MISTS MAY CAUSE IRRITA TION OF NOSE, THROAT AND RESPIRATORY TRACT.

Effects of Overexposure:EYES-PAIN, SWELLING, BLURRED OR IMPAIRED VISION. SKIN-REDNESS, SWELLING, POSSIBLE PAIN. INGESTED-GASTRIC DISTRESS, DIARRHEA, VOMITING. INHALED-IRRITATION TO NOSE, THROAT,

RESPIRATORY TRACT; PAIN, BREA THING DIFFICULTY.

Medical Cond Aggravated by Exposure: DERMATITIS, SENSITIVE SKIN.

First Aid:EYES-IMMEIATELY FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN-FLUSH THOROUGHLY WITH WATER. WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHES AND SHOES & CLEAN BEFORE REUSE. GET MEDICA L ATTENTION FOR ANY PAINFUL, RED OR INJURED SKIN. INGESTED-RINSE MOUTH OUT WITH WATER. DIL

UTE BY DRINKING SEVERAL GLASSES WATER. DO NOT INDUCE VOMITING! GET PROMPT MEDICAL ATTENTION. NOTE: NEVER GIVE FLUIDS BY MOUTH TO AN UNCONSCIOUS PERSON. INHALED-REMOVE TO FRESH AIR. IF BREATHING DIFFICULTY ARISES, GET EMDICAL ATTENTION. Flash Point:NONE Extinguishing Media: WATER SPRAY, CARBON DIOXIDE (CO2), FOAM OR DRY POWDER. Fire Fighting Procedures: WEAR FULL PROTECTIVE GEAR AND POSITIVE PRESSURE BRE ATHING APPARATUS (SCBA) IN FIRE AREA. Unusual Fire/Explosion Hazard: TOXIC FUMES OR VAPOR MAY FORM DURING FIRE. SPILLED PRODUCT MAY CAUSE SLIPPERY SURFACE AND FALL HAZARD. ========= Accidental Release Measures =============== Spill Release Procedures: CONTAIN SPILL. ABSORB WITH SAND OR CLAY. COLLECT MATERIAL AND PLACE IN SUITABLE WASTE CONTAINER. NEUTRALIZE SOLIDS AND SPILL AREA WITH SODA ASH OR LIME. DISPOSE OF BY ENVIRONMENTAL REGULATIONS. THIS PRODUCT DOES NOT **CONTAIN A** REPORTABLE QUANTITY (RQ) UNDER CERCLA. Neutralizing Agent:SODA ASH, LIME. ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN A COOL, DRY AREA AWAY FROM ACIDS. KEEP CONTAINER CLOSED WHEN NOT IN USE. WEAR PROTECTIVE GEAR WHEN HANDLING. DO NOT PRESSURIZE CONTAINER TO EMPTY. Other Precautions: NONE SPECIFIED BY MANUFACTURER. Respiratory Protection:RE

====== Exposure Controls/Personal Protection ========

SPIRATOR PROTECTION RQUIRED IF PEL IS EXCEEDED.

Ventilation: GOOD VENTILATION SHOULD BE SUFFICIENT TO CONTROL AIRBORNE LEVELS.

Protective Gloves: ALKALI RESISTANT.

Eye Protection: FACE SHIELD IF CONTACT OR SPLASH HAZARD EXISTS. EYE WASH IN USE AREA

Other Protective Equipment: RUBBER BOOTS, CHEMICAL APRON AND SAFETY SHOWER IN USE AREA IF CONTACT OR SPLASH HAZARD EXISTS.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURE

R.
========= Physical/Chemical Properties ==========
HCC:B1 Boiling Pt:=101.7C, 215.F Melt/Freeze Pt:M.P/F.P Text:NOT DETERMINED Vapor Pres:17.5 MM/HG @ 20 C Vapor Density:N/D Spec Gravity:1.073 pH:13.9 Solubility in Water:SOLUBLE Appearance and Odor:CLEAR PALE YELLOW LIQUID WITH MILD ODOR Percent Volatiles by Volume:80
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ACIDS, STRONG OXIDIZERS Stability Con dition to Avoid:PRODUCT STABLE. Hazardous Decomposition Products:IMCOMPLETE COMBUSTION FORMS OXIDES OF CARBON AND SULFUR.
========= Toxicological Information ==========
Toxicological Information:SODIUM METASILICATE: ACUTE ORAL LD50 (RAT): 1153 MG/KG.
========= Ecological Information ============
Ecological:ECOTOXICITY DATA: PRODUCT & WASTE ARE HARMFUL TO FISH AND AQUATIC FORM. DISCHARGE PROCESS WASTE & OVERFLOW TO A SANITARY SEWER OR ON-SITE TREATMENT PROCESS. ECOTOXICITY TEST DATA: NO DATA AVAILABLE. E NVIRONMENTAL FATE: NO DATA AVAILABLE.
========= Disposal Considerations ===============
Waste Disposal Methods:RCRA REGULATED: CONCENTRATED PRODUCT WOULD BE

Waste Disposal Methods:RCRA REGULATED: CONCENTRATED PRODUCT WOULD BE CONSIDERED D002-CORROSIVE IF DECLARED HAZARDOUS WASTE. CONTAINS PHOSPHATES. ADJUST PH OF DILUTED PRODUCT & DISCHARGE TO INDUSTRIAL SEWER. USE PRODUCT IN C ONTAINER UNTIL EMPTY. TRIPLE RINSE CONTAINER WITH WATER & ADD TO PROCESS. RE

AINER.
======== MSDS Transport Information ==========
Transport Information:CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM METASILICATE), 8, UN3266, PG III, ERG. 60, NAERG NO. 154.
============== Regulatory Information ===============
SARA Title III Information:SECTION 313 TOXIC CHEMICALS: 2-BUTOXYETHANOL, CAS# 111-76-2,